



需求确认

Requirement confirmation

签署《国际货运代理合同》 Sign the "International Freight Forwarding Contract"

审核


船东,船期,航线,卸货港,目的港,箱型,数量, 限重,卖价,及运输条款

Review the ship owner, shipping schedule, route, port of discharge, port of destination, container type, quantity, weight limit, selling price, and shipping terms

推荐合适的船期及报价 Recommend suitable sailing schedule and quotation









拖车 (代拉代报服务可选)

Trailer (Agency optional)





报关 Customs



全流程一览

The whole process at a glance





Base port (直接到港口)



Departure

1清关资料

(HBLor MBL,Invoice & Packing lst) 船开后3-5 天提供 Provided 3-5 days after the boat sails

2 Arrive Notice

(到货通知, 一般船东在船开7天后会发送给 海单的收货人)

(Arrival notice, generally the ship owner will send it to the consignee of the sea bill 7 days after the ship is opened)

3 Custom Entry

(清关资料+Arrive Notice) 预清关, 一般在船入美国境内到港前3-4天 安排清关 (Customs clearance information + Arrive Notice) Pre-clearance, Generally, arrange customs clearance 3-4 days before the ship enters the United States and arrives at the port

Departure

到货通知模板 Arrival Notification Template



EVERGREEN LINE

A Joint Service Agreement

ARRIVAL NOTICE/FREIGHT BILL

To:

LC LOGISTICS SERVICES, INC 4411 SCHAEFER AVE, CHINO CA 91710

For Vessel Actual Arrival & Cargo Tracing: www.shipmentlink.com

CARGO PICK UP LOCATION

LONG BEACH CONTAINER TERMINAL LLC, PIER E 201 S. PICO AVENUE

LONG BEACH

CALIFORNIA 90802

TEL NO.:1 562 4358585

EASE		
LAGE		
=		
TMED		
IG BEACH CONTAINER MINAL LLC, PIER		
DEST ETA.		
A		

Discharge Port

4 Update D/O

根据实际可提供时间更排车, 跟送货仓库二次确认送货时间 Arrange the truck according to the actual available time, and confirm the delivery time with the delivery warehouse twice.

2 D/O

(Delivery Order , 目的港预排车 Pre-arranged truck

at destination port)

3 Appointment

(码头开放提柜预约),预约完同时跟收货仓库做送货预约。

5 Pick UP

完全可以pick up 取决于2个条件

Completely pick up depends on 2 conditions

1, Carrier release (mbl release, payment release)

2, Custom release

1 Discharge

(卸船) (Unloading)

Avaiable Date (船东网站上的卸船时间会跟实际的可提柜时间不一样,码头经常会有close area, 具体以实际技术和从网络特殊的特别。

际挂靠码头网站时间为准),根据码头给的预约时间

(The terminal is open to pick up the cabinet for appointment), and make a delivery appointment with the receiving warehouse after the appointment.

Avaiable Date (the unloading time on the shipowner's website will be different from the actual time to pick up the container, and the terminal often has a close area, which is subject to the actual docking time on the terminal's website), according to the appointment time given by the terminal

码头预约 Port Appointment

Result	ts 1	(i) Hover over the highlighted columns for additional information (e.g. Ready for Delivery)																
	Container ID	Bill Of Lading	Ready for delivery?	Line	Vessel name	Vessel ETA	Discharge Date	Yard Location	Freight	Customs	Holds	Good Thru	Demurrage	Size / Type / Height	Weight	Hazardous	Appointment date	Gate Out Date
	EITU1701251	143099065100	8	EGL	EVER LOGIC	15/02/21 06:00	16/02/21 11:20	COMMUNITY - OUT	RELEASED	RELEASED				40/GP/96	25155.0		No	22/02/21 20:29

DELIVERY ORDER


LC LOGISTICS SERVICES INC	DATE	OUR FILING NO.	MARK	DESCRIPTION	PKGS	WEIGHT	MEASURMENT	
	01/28/20	21 OI-10728		SAID TO CONTAIN: DINING CHAIR	443	8,417.00 KGS	70.440 CBM	
4411 SCHAEFER AVE.CHINO,CA 91710 EMAIL: fingel.lin@lc-worldwide.com			_		CARTON(S)	18,556.31 LBS	2,487.694 CFT	
2.17 1.2. Tilgettime te visitationessin		DISE DESCRIBED BELOW						
	WILL BE ENTERE	ED AND/OR FORWARDED AS FOLLOWS:						
DELIVER	RY ORDER							
PICKUP	TRUCKER							
TOTAL TERMINALS INTERNATIONAL	STARLING FREIGHT INC.(C	Y / CY)						
301 HANJIN ROAD, PIER T, BERTH 136	MB/L No.	HB/L No.	ORIGINAL DELIVERY ORDER		NOTICE: BAD ORDER PACKAGES MUST BE SIGNED FOR			
LONG BEACH, CA 90802	MEDUT4048830	XG2012LCL061	INLAND FREIGHT: PREPAID		AS IN CONDITION RECE	IVED.		
	AMS B/L No.	CUSTOMER REFERENCE No.	LC LOGISTICS SERVICES INC		ALL PIER CHARGES FOR	ACCOUNT OF RECEIV	/ER UNLESS	
			PREPARED BY Fingel Lin	01/28/2021 17:52	OTHERWISE SPECIFIED			
DELIVERY	I.T. No. & PLACE	DATE OF LAST FREE DATE	THE AREA OF THIS CENT	01,20,202117.52				
4PX		02/04/2021	CARRIER SIGNATURE / DATE		received in good or	DER / DATE		
5650 GRACE PL COMMERCE CA US 90022	CARRIER	·	CARRIER :	Date :	BY:	Date:		
	MEDITERRANEAN SHIPPIN	IG CORP (MSC)						
	ORIGIN PORT		"P.O.D REQUIRED WITH	BILLING INVOICE				
	NINGBO		PLEASE E-MAIL PROOF O	OF DELIVERY TO TRANSPORT@LC-WORLDWI	DE.COM"			
ROUTE	CONTAINER INFORMATION							
CONSIGNEE: P5ZHA55+916533	CONTAINER No. TYPE SEAL N		_					
TEL001-3235970288 JORDAN GRACE WANG	TCNU5762452 40HC FX15097	169 8,417.00 K						
TOTAL TIMES TANKS			REMARK					
FB4OCEAN@4PX.COMJORDAN@4PX.COMGRACEWANG@4PX.C								
OM SYLVIAZHOU@4PX.COMIRIS@4PX.COM								
TETITE TO OUT A COMMISSION A COM								

Delivery

Drop

两种卸货方式,看送货仓库要求,一般离开提柜地址20M 左右,柜量集中的地区可以做free drop,超出30M,基本都要收drop,根据路程远近和柜量,价格不等,最高是再收一趟卡车费

There are two ways of unloading, depending on the requirements of the delivery warehouse. Generally, it is about 20M away from the pick-up address. Free drop can be done in areas where the container volume is concentrated. If it exceeds 30M, drop is basically required. is another truck fee



Live unloading

一般1-2小时免费等待,超出部分收取 \$75-\$95 每小时的待时费,

Generally 1-2 hours of free waiting, the excess part will be charged \$75-\$95 per hour waiting time,





IPI(经港口卸船,由船东安排火车去的内陆点) (After unloading the ship through the port, the ship owner arranges the train to go to the inland point)



eparture

Departure

Customs clearance information

(HBLor MBL, Invoice & Packing lst) 船开后3-5 天提供能力 Provided 3-5 days after the boat sails

2 Arrive Notice

′到货通知,一般船东在船开7天后会 ′ 发送给海单的收货人) (Arrival notice, generally the ship opened)


3 Custom Entry

(清关资料+Arrive Notice) 预清关, 般在船入美国境内到港前3-4天安排清关 (Customs clearance information + owner will send it to the consignee | Arrive Notice) Pre-clearance, usually of the sea bill 7 days after the ship is; arrange customs clearance 3-4 days before the ship enters the United States and arrives at the port

区别于到港口的操作是, IPI 的既可以在卸货港清关, 又可以在海单上显示的目的港清关 ,海关会有个IT 号码, 般默认会要求去海单上的目的港清关, 比如去亚特兰大 , SAVANNAH, GA 卸船 , 如果需要在Savannah 清关的 , 则需要去申请CANCLE IT, 会有50美金的费用

The difference from the operation to the port is that IPI can not only clear the customs at the port of unloading, but also clear the customs at the destination port displayed on the sea list. Go to Atlanta, SAVANNAH, GA to unload the ship, if you need to clear customs in Savannah, you need to apply for CANCLE IT, there will be a fee of 50 US dollars

Discharge Port



Final Destination Ramp

4 Update D/O

根据实际可提供时间更排车,跟送货仓库二次确认送货时间

Arrange the truck according to the actual available time, and confirm the delivery time with the delivery warehouse twice.

2 Pick up number

内陆点提供不需要预约

Inland points are provided without reservation

5 Pick UP

完全可以pick up 取决于2个条件

Completely pick up depends on 2 conditions

1, Carrier release (mbl release, payment release)

2, Custom release

Avaiable Date

1 跟踪火车路径, D/O track train path

(Delivery Order , 目的港预排车 Pre-arranged truck at destination port) (船东网站上的卸船时间会跟实际的可提柜时间不一样,火车站经常会有close area, 具体以停靠火车站网站时间为准),

IPI 比较特殊, 从avaiable 到LFD 只有48小时, 往往船公司的PICK UP number 都是在LFD 当天

(The unloading time on the shipowner's website will be different from the actual time to pick up the container. The train station often has a close area, which is based on the time of the train station website),

IPI is special, it only takes 48 hours from avaiable to LFD, often the PICK UP number of the shipping company is on the day of LFD

Delivery

Drop

两种卸货方式,看送货仓库要求,一般离开提柜地址20M 左右,柜量集中的地区可以做free drop,超出30M,基本都要收drop,根据路程远近和柜量,价格不等,最高是再收一趟卡车费

There are two ways of unloading, depending on the requirements of the delivery warehouse. Generally, it is about 20M away from the pick-up address. Free drop can be done in areas where the container volume is concentrated. If it exceeds 30M, drop is basically required. is another truck fee



一般1-2小时免费等待, 超出部分收取 \$75-\$95 每小时的待时

费, Generally 1-2 hours of free waiting, the excess part will be charged \$75-\$95 per hour waiting time,







1. 清关抬头 Customs Clearance

NO.1

美国清关既可以用cnee 的bond 清关, 也可以用shipper 的bond 清关, 一般是默认用CNEE bond 清关,如需要用 Shipper 的名义清关的时候, 那一定需要提供一个Ultimate Cnee , 可以收货人, 也可以是收货的仓库, 任何一个美国公司都可以 , 但是必须要提供这个公司的EIN 税号。

U.S. customs clearance can be done with CNEE bond or shipper bond. Generally, CNEE bond is used for customs clearance by default. If you need to use Shipper's name for customs clearance, you must provide an Ultimate Cnee, which can be consignee or It can be the receiving warehouse, any US company can, but the EIN tax number of the company must be provided.

NO.2


当使用CNEE BOND 清关时, 遇到BOND 额度满了或者到期没法清关的, 一时间来不是续费的, 可以申请买单次BOND , 费用是申报货值的干分之五, 最低收费75美金,值得注意的是, 单次BOND 跟annual Bond 的区别, annual Bond 是在发 ISF 和清关同一个单, single bond 是要分开买的, 即发ISF 要买一个, 清关一买一个, 是要收两笔的。

When using CNEE BOND for customs clearance, if the BOND quota is full or cannot be cleared when it expires, it will not be renewed for a while. You can apply to pay a single BOND. It is worth noting that the difference between a single bond and an annual bond is that the annual bond is issued in the same order as ISF and customs clearance. of.

NO.3

请Shipper bond 是不可以买单次的,只能买**annual bond**, **500 美金买5万的bond**, 累计可以用缴纳关税额度**50万**左右。 Shipper bond is not allowed to buy single time, you can only buy an annual bond, 500 US dollars to buy 50,000 bonds, the cumulative amount of tariffs can be used to pay about 500,000.

2. ISF 信息里的几个人物关系 Several Personal Relationships in ISF Information



在清关过程中, 遇到 一些需要提供证书的单子的时候, 如果其除了shipper cnee 之外, 有一个有证书的需要用到的 ISF 的时候一定要发进去, 做一个关联。

In the process of customs clearance, when encountering some orders that need to provide certificates, if there is an ISF with certificates that needs to be used in addition to the shipper cnee, it must be sent to make an association.

3. 常见证书 Common Certificates

(—) TSCA	(有毒物质控制法案)是美国管理工业化学品的法规,美国环保局(EPA)负责落实TSCA对化学品的管制,美国海关与边境保护局(CBP)负责在TSCA法规下对化学品的进口进行检查。 目前家具类涂着油漆 有甲醛的这些都是要提供TSCA 表格的。(Toxic Substances Control Act) is a regulation in the United States to manage industrial chemicals. The US Environmental Protection Agency (EPA) is responsible for implementing TSCA's control of chemicals, and the US Customs and Border Protection (CBP) is responsible for importing chemicals under TSCA regulations. examine. At present, furniture with paint and formaldehyde is required to provide TSCA forms.
(二) Lacey Act	实木类的产品需要填写雷斯法案 Solid wood products need to fill out the Lacey Act
(三) FDA	跟食品 药品 医疗等有关的产品,都要提供FDA 产品,设计医疗类的,除了发货人这边需要有FDA 证书外,收货人也需要在FDA 网站做进口申报。 FDA 没有放行前 产品不可以销售 FDA 随时有查验的可能。Products related to food, drug and medical treatment must provide FDA products and design medical products. In addition to the FDA certificate on the consignor's side, the consignee also needs to make an import declaration on the FDA website. Products cannot be sold without FDA pre-release FDA inspection may be possible at any time.
(四) CPC	附件可提供需要CPC 证书的产品范围 Accessories available for product range requiring CPC certificate
(五) 反倾销 Anti-dumping	https://www.usitc.gov/investigations/import_injury?f%5B0%5D=field_investigation_status%3Aac tive

TSCA 模板 TSCA Template

Toxic Substance Control Act (TSCA) Certification

Date: To: District Director US Customs & Border Protection RE: Entry #ZP2006MB2032
AWB# / BL#:EGLV143099045613 Importer Reference#:83-304606900 Dear District Director,
I certify that all chemical substances in this shipment comply with all applicable rules and orders under TSCA, and that I am not offering chemical substances for entry in violation of TSCA or any applicable rule or order thereunder.
I certify that all chemicals in this shipment are not subject to the T SCA (Toxic Substance Control Act).
I certify that there are no chemicals in this shipment. The shipment is therefore not subject to the TSCA (Toxic Substance Control Act)
Company Name:
Name: ANJI SHENGXING OFFICE FURNITURE CO.,LTD.
Title: Garce Xu
Email: Logistcis Manger
Phone: 0574-27610604
Signature: Grace XU

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0579-0349 The time required to complete this information collection is estimated to average 0.5 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

OMB APPROVED

0579-0349

EXP.: 04/2022



UNITED STATES DEPARTMENT OF AGRICULTURE ANIMAL AND PLANT HEALTH INSPECTION SERVICE PLANT PROTECTION AND QUARANTINE

PLANT AND PLANT PRODUCT DECLARATION

1. ESTIMATED DATE OF ARRIVAL (MM/DD/YYYY)	2. ENTRY NUMBER
3. CONTAINER NUMBER(S) See	4. BILL OF LADING 146000387201
Attachment	5. MANUFACTURER IDENTIFICATION CODE (MID)
6. IMPORTER'S NAME	7. CONSIGNEE'S NAME
SCAPUENIOT INC.	SCAPUENIOT INC.
8. IMPORTER'S ADDRESS	9. CONSIGNEE'S ADDRESS
205 W VIA PRESIDO UNIT 86, ROOM 101	THE SAME AS IMPORTER
ONTARIO, CA 91762	

10. DESCRIPTION OF MERCHANDISE

WOODEN CHICKEN COOP

SECTION 2 – Compliance with Lacey Act Requirements (16 U.S.C. 3372(f))

For each article or component of an article, provide the following:

11. HTS NUMBER (no dashes/symbols)	12. ENTERED VALUE	13. ARTICLE/COMPONEN T OF ARTICLE	14. PLANT SCIENTIFIC NAME <u>Genus</u> <u>Species</u>		I		15. COUNTRY OF HARVEST	16. QUANTITY OF PLANT MATERIAL	17. UNIT	18. PERCENT RECYCLED
4421999780	8213	MDF	COMPOSITE	SPECIAL	CN	7176.35	KGS			

I certify under penalty of perjury that, to the best of my knowledge and belief, the information furnished is true and correct.

PREPARER'S NAME (printed)	PREPARER'S SIGNATURE	EMAIL ADDRESS	TELEPHONE NUMBER	DATE (MM/DD/YYYY)
Steven Yang	Steven Yang	yang594103@gmail.com	6264602967	07/20/2020

PPQ FORM 505 (NOTE: Knowingly making any false statement in this Declaration for importation may subject the declarant to criminal penalties in accordance with 16 U.S.C. 3373(d)). APR 2020

INSTRUCTIONS FOR PPQ FORM 505 - PLANT AND PLANT PRODUCT DECLARATION

- 1. Estimated Date of Arrival: Enter the date (MM/DD/YYYY) that the product is expected to enter the United States of America.
- 2. Entry Number: Enter the U.S. Customs and Boarder Protection (CBP) entry number assigned to this shipment. (Format: xxx-xxxxxxxxxx)
- 3. Container Number: Enter the number of the shipping container in which the product is being shipped available from your shipping company. If you have more than one container number in your shipment, check the "See Attachment" box and list all of the containers on a separate sheet. Attach the container list to the PPQ 505. If there is no container number, please leave this section blank.
- 4. Bill of Lading: Enter the Bill of Lading (BOL) number assigned to this shipment available from the shipping company. If there is no Bill of Lading number, please leave this section blank.
- 5. Manufacturer Identification Code (MID): Available from the manufacturer or customs broker (19 CFR Appendix to Part 102).
- 6. Importer's Name: Enter the name of the Import Company or individual for the product.
- 7. Consignee's Name: Name of the individual or company who ordered and will ultimately receive the shipment.
- 8. Importer's Address: Enter the address of the Import Company or individual in block 6.
- 9. Consignee's Address: Enter the address of the individual or company in block 7.
- 10. Description of the Merchandise: Enter the name of the plant or plant product, and its use (example: wooden spoons for kitchenware). If the use is unknown, enter only the name of the product (example: lumber).
- 11. HTS Number: Enter the Harmonized Tariff Code for the merchandise described in #10 available at https://www.usitc.gov/
- 12. Entered Value: In U.S. dollars, enter the value of the imported merchandise described in #10.
- 13. 13.Article/Component of Article: Enter a brief description of each article, or component of an article, that is manufactured from plants or plant parts. (Example: A decorative item including a wood frame and 100% recycled paperboard enter the frame as a line item and record the percent of recycled material in the paperboard in block 18.)
- 14. 14.Plant Scientific Name: For each article/component in block 13, enter the scientific name (see example below). If the species of plant used to produce the product varies, and the species used to produce the product is unknown, enter each species that may have been used to produce the product. If the product was manufactured prior to the Amendment and you cannot determine the species, enter "special" for Genus and "pre-amendment" for Species. NOTE: The Scientific Name is NOT the trade/common name of the plant.

INSTRUCTIONS FOR PPQ FORM 505 - PLANT AND PLANT PRODUCT DECLARATION

- 15. Country of Harvest: Enter the country where the plant was harvested (see example below). If the country of harvest varies, and/or is unknown, enter all countries from which the plant material in the product may have been harvested. NOTE: This is NOT the country of manufacture/origin.
- 16. Quantity of Plant Material: Enter the quantity of plant material for every line that contains a different country of harvest and species pair. (see example below).
- 17. Unit: This is the Unit of Measure of the Plant Material. Use one of the following (see example below): Kilograms=kg, Grams=g, Centigrams=cg, Milligrams=mg, Kiloliter=kl, Liters=l, Milliliters=ml, Millimeters=mm, Square Millimeters=mm2, Cubic Millimeters=mm3, Centimeters=cm, Square Centimeters=cm2, Cubic Centimeters=cm3, Meters=m, Square Meters=m2, Cubic Meters=m3, or Kilometers=km.
- 18. Percent Recycled: If the product is paper or paperboard, enter the percentage of recycled material it contains (0 100%). If the percentage of recycled material varies, enter the average percentage of recycled material used in the product (Example: If the percentage of recycled material used is between 25% and 45%, enter 35%). NOTE: Do not complete this field if your imported product is NOT paper or paperboard.

EXAMPLE:

11. HTS NUMBER (no dashes/symbols)	12. ENTERED VALUE	13. ARTICLE/COMPONE NT OF ARTICLE			15. COUNTRY OF HARVEST	16. QUANTITY OF PLANT MATERIAL	17. UNIT	18. PERCENT RECYCLED
9401692010	1354	Bentwood Seats Made of Oak	Quercus	lineata	Indonesia	500	kg	0
4407950000	8442	European ash lumber (2" x 4")	Fraxinus	excelsior	Switzerland	52	m3	0

- <u>SUBMISSION OF PAPER DECLARATION</u>: Importers should have a copy of the form available for CBP to review at the port of entry. After CBP clears the shipment, the importer must mail the original form to the U.S. Department of Agriculture at the following address: The Lacey Act, c/o USDA/APHIS/PPQ, Box 10, 4700 River Road, Riverdale, MD 20737
- <u>NOTE</u>: You may use a continuation sheet, PPQ FORM 505B, should more space be required. Make as many copies as necessary. Failure to include any and all of the required information will result in the rejection of your declaration.
- SPECIAL NOTE: IF YOU HAVE FILED A LACEY ACT PLANT AND PLANT PRODUCT DECLARATION ELECTRONICALLY, THERE IS NO NEED TO FILE A PAPER DECLARATION.

CPSC Quick Reference Guide Children's Product

Common Children's Product Requirements

A "children's product" is a consumer product designed or intended primarily for children 12 years of age or younger. In the United States, all children's products imported or domestically manufactured require certain tracking information and a Children's Product Certificate (CPC):

	ured require certain tracking info	rmation and a Children	n's Product Certifica	rite (CPC):							
15 U.S.C. §2063(a)(5)											
16 CFR 1110		Children's Product Certificate (CPC)									
Citation:	Requirement:	Required for:	Relevant Citation:	Possible Testing Exemptions/Exceptions/Determinations (as demarcated below):							
			15 USC 2063(d)(5)	Exclusions from Third Party Testing Ordinary books Ordinary paper-based printed materials Metal component parts of bicycles							
			16 CFR 1500.87	Inaccessible component parts defined • Inaccessible component parts							
			16 CFR 1500.88	Exemptions Certain electronic component parts in children's electronic devices Components of electronic devices that are removable or replaceable							
15 USC 1278a	Total Lead Content	All Children's Products	16 CFR 1500.91	Precious gemstones • Precious gemstones • Some semiprecious gemstones and other minerals • Natural or cultured pearls • Wood • Paper and similar materials made from wood or other cellulosic fiber • CMYK process printing inks • Textiles consisting of: Natural fibers (e.g., cotton, linen, hemp, bamboo, silk, wool); and Manufactured fibers (e.g., rayon, polyester, nylon, acrylic, spandex) • Other plant-derived and animal-derived materials • Some surgical steel and other stainless steel • Precious metals							
			16 CFR 1252	Determinations Certain untreated & unfinished engineered wood products (EWPs) exempt from lead, heavy elements & phthalates testing							
16 CFR 1120.3	Drawstrings in Children's Upper Outerwear	Children's Upper Outerwear (no neck drawstrings on sizes 2T-12, waist drawstring length limit on sizes 2T-16)	N/A	None							
16 CFR 1303	Lead in Paint and Similar Surface Coatings	All Children's Products with a Surface Coating	N/A	None (Exemptions in 16 CFR 1303.3 apply only to non-children's products)							

CPSC Quick Reference Guide Children's Product

Citation:	Requirement:	Required for:	Relevant Citation:	Possible Testing Exemptions/Exceptions/Determinations (as demarcated below):			
		T	16 CFR 1199.1	Inaccessible component parts defined • Inaccessible component parts			
		Toys and certain child care articles (i.e., articles that facilitate	16 CFR 1252	Determinations Certain untreated and unfinished engineered wood products (EWPs)			
16 CFR 1307	16 CFR 1307 Phthalates		16 CFR 1308.2	• polypropylene (PP) • polyethylene (PE) • high-impact polystyrene (HIPS) • acrylonitrile butadiene styrene (ABS) • general-purpose polystyrene (GPPS) • medium-impact polystyrene (MIPS) • super-high-impact polystyrene (SHIPS)			
16 CFR 1500.19		All products intended					
16 CFR 1500.20	Small Parts Labeling	for children age 3 up to 6 years that contain	N/A	None			
16 CFR 1500.121		small parts as received					
16 CFR 1501	Small Parts Ban	All products intended for children 0-3 years	16 CFR 1501,3	Exemptions Balloons Books and other articles made of paper Writing materials Children's clothing and accessories Grooming, feeding, and hygiene products Phonograph records Modeling clay and similar products Fingerpaints, watercolors, and other paint sets Rattles Pacifiers			
<u>16 CFR 1610</u>	6 CFR 1610 Standard for the Flammability of Clothing Textiles Wearing Apparel 16			Exceptions Gloves (under 14" in length and not affixed to or an integral part of another garment) Footwear (that does not contain hosiery and is not affixed to or an integral part of another garment) Hats (that do not cover the neck, face, or shoulders) Interlining fabrics (when sold for use as a layer between an outer shell and an inner lining in wearing apparel)			

Citation:	Requirement:	Required for:	Relevant Citation:	Possible Testing Exemptions/Exceptions/Determinations (as demarcated below):		
16 CFR 1610	Standard for the Flammability of Clothing Textiles	Wearing Apparel	16 CFR 1610.1 (d)	Plain-surface textiles weighing 2.6 ounces per square yard (88.2 gsm) or more Fabrics made from 100% of the following fibers: acrylic, modaacrylic, nylon, olefin, polyester, and wool		
16 CFR 1615	Flammability Requirements for Children's Sleepwear (Sizes 0 - 6X)	Children's Sleepwear (Sizes 0 - 6X)	16 CFR 1615.1 (a)	Exceptions, but must meet the requirements of 16 CFR part 1610 • Diapers and underwear • Infant garments • Tight-fitting garments		
16 CFR 1616	Flammability Requirements for Children's Sleepwear (Sizes 7 - 14)	Children's Sleepwear (Sizes 7 - 14)	16 CFR 1616.2 (a)	Exceptions, but must meet the requirements of 16 CFR part 1610 • Diapers and underwear • Tight-fitting garments		
			16 CFR 1251.2	Determinations Unfinished and untreated wood does not exceed the limits for the heavy elements		
			16 CFR 1252	Determinations Certain untreated & unfinished engineered wood products (EWPs) exempt from heavy elements & phthalates testing		
16 CFR 1250	16 CFR 1250 Toy Standard (Incorporates ASTM F963-17)		ASTM F963-17	Products not considered "toys" in the US Toy Standard Bicycles Tricycles Non-powered scooters Recreational Powered Scooters and Pocket Bikes Sling shots and sharp-pointed darts Playground Equipment Non-powder guns Kites Hobby and craft items without play value Art Materials Sporting Goods, camping goods, athletic equipment, musical instruments, juvenile products, and furniture Powered models of aircraft, rockets, boats, and land vehicles Constant Air Inflatables		

Durable Children's Product Requirements

15 U.S.C. § 2056

All durable infant or toddler products, regardless of type, must currently meet certain children's product safety requirements, such as those for lead in surface coatings, lead content, phthalate content (in certain circumstances), mandatory testing at a CPSC-accepted laboratory, a Children's Product Certificate (CPC), registration cards (16 CFR 1130), and tracking labels and other markings.

Product Category	CFR Citation	Incorporated Standard	CPSC Business Guidance Page
Infant Bath Seats	16 CFR 1215	ASTM F1967-13	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Infant-Bath-Seats/
Infant Walkers	16 CFR 1216	ASTM F977-12	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Infant-Walkers/
Toddler Beds	16 CFR 1217	ASTM F1821-16	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Toddler-Beds/
Bassinets and Cradles	16 CFR 1218	ASTM F2194-13	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Bassinets-and-Cradles/
Cribs (Full-Size)	16 CFR 1219	ASTM F1169-13	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Full-Size-Baby-Cribs/
Cribs (Non-Full-Size)	16 CFR 1220	ASTM F406-17	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Non-Full-Size-Baby-Cribs/
Play Yards	16 CFR 1221	ASTM F406-13	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Play-Yards/
Bedside Sleepers	16 CFR 1222	ASTM F2906-13	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Bedside-Sleepers/
Infant Swings	16 CFR 1223	ASTM F2088-13	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Infant-Swings/
Portable Bed Rails	16 CFR 1224	ASTM F2085-12	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Portable-Bed-Rails/
Hand-Held Infant Carriers	16 CFR 1225	ASTM F2050-13a	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Hand-Held-Infant-Carriers/
Soft Infant and Toddler Carriers	16 CFR 1226	ASTM F2236-14	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Soft-Infant-and-Toddler-Carriers/

Carriages and Strollers	16 CFR 1227	ASTM F833-15	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Carriages-and-Strollers/
Sling Carriers	16 CFR 1228	ASTM F2907-15	https://www.cpsc.gov/content/sling-carriers-business-guidance-small-entity- compliance-guide
Infant Bouncer Seats	16 CFR 1229	ASTM F2167-17	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Infant-Bouncer-Seats-Business-Guidance
Frame Child Carriers	16 CFR 1230	ASTM F2549-14a	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Frame-Child-Carriers/
High Chairs	16 CFR 1231	ASTM F404-18	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/High-Chairs-Business-Guidance-and-Small-Entity-Compliance-Guide
Children's Folding Chairs and Stools	16 CFR 1232	ASTM F2613-17a	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Childrens-Folding-Chairs-and-Stools-Business-Guidance
Portable Hook-on Chairs	16 CFR 1233	ASTM F1235-18	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Portable-Hook-on-Chairs-Business-Guidance-Small-Entity-Compliance- Guide
Infant Bath Tubs	16 CFR 1234	ASTM F2670-18	https://www.cpsc.gov/content/infant-bath-tubs-business-guidance
Changing Products	16 CFR 1235	ASTM F2388-18	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Baby-Changing-Products-Business-Guidance-and-Small-Entity- Compliance-Guide
Infant Inclined Sleep Products	16 CFR 1236	ASTM F3118-17	https://www.federalregister.gov/documents/2017/04/07/2017-06875/safety- standard-for-infant-inclined-sleep-products
Booster Seats	16 CFR 1237	ASTM F2640-18	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Booster-Seats-Business-Guidance-and-Small-Entity-Compliance-Guide
Stationary Activity Centers	16 CFR 1238 (proposed)	ASTM F2012-18 (proposed)	https://www.federalregister.gov/documents/2018/06/19/2018-13024/safety- standard-for-stationary-activity-centers
Expansion Gates and Expandable Enclosures	N/A	N/A	Awaiting Notice of Proposed Rulemaking (NPR)

	Common Genera	al-Use Product Requirements	16 CFR 1450	Pool and Spa drain covers	Virginia Graeme Baker Pool and Spa Safety Act Regulations
		children 12 and younger) are classified as regulated or unregulated by the of Conformity and may require product testing prior to import or sale in	16 CFR 1460	Portable Gas Containers	Children's Gasoline Burn Prevention Act Regulation (incorporating ASTM F2517- 15, Standard Specification for Determination of Child Resistance of Portable Fuel Containers for Consumer Use)
			16 CFR 1500.17(a)(13)	Metal Candle wicks	Ban of Candles with Metal-Cored Wicks
16 CFR 1110	Ge	eneral Certificate of Conformity (GCC)	16 CFR 1507	Fireworks	Fireworks Devices
			16 CFR 1512	Bicycles	Requirements for Bicycles – General Use
Reference:	Requirement:	Description	16 CFR 1610	Wearing Apparel	Standard for the Flammability of Clothing Textiles – General Use
16 CFR 1201	Architectural Glazing Materials	Safety Standard for Architectural Glazing Materials	16 CFR 1611	Vinyl Plastic Film	Standard for the Flammability of Vinyl Plastic Film – General Use
16 CFR 1202	Matchbooks	Safety Standard for Matchbooks	-		
16 CFR 1203	Bicycle Helmets	Safety Standard for Bicycle Helmets – General Use	16 CFR 1630	Carpets and Rugs (Large)	Standard for the Surface Flammability of Carpets And Rugs – General Use
16 CFR 1204	CB Antennas Safety Standard for Omnidirectional Citizens Band Base Station Antennas		16 CFR 1631	Carpets and Rugs (Small)	Standard for the Surface Flammability of Small Carpets and Rugs – General Use
16 CFR 1205	Power Mowers	Safety Standard for Walk-Behind Power Lawn Mowers		corpets and ridge (sman)	III
16 CFR 1207	Swimming Pool Slides Safety Standard for Swimming Pool Slides			Mattresses (Smoldering)	Standard for the Flammability of Mattresses and Mattress Pads – General Use (includes twin size mattresses, mattress pads, and mattress sets)
16 CFR 1209	Cellulose Insulation	se Insulation Interim Safety Standard for Cellulose Insulation			
16 CFR 1210	Cigarette Lighters	Safety Standard for Cigarette Lighters			(Includes twin size mattresses, mattress pads, and mattress sets)
16 CFR 1211	Garage Door Openers Safety Standard for Automatic Residential Garage Door Operators				St. 1 16 st. 51 - 1372 (S. 51 - 1484 three Sate Generallies
16 CFR 1212	Multipurpose Lighters	Safety Standard for Multipurpose Lighters	16 CFR 1633	Mattresses (Open Flame)	Standard for the Flammability (Open Flame) of Mattress Sets – General Use
16 CFR 1213	Bunk Beds	Safety Standard for Entrapment Hazards in Bunk Beds – General Use	16 CFR 1700	Special Packaging	Poison Prevention Packaging
16 CFR 1301	Refuse Bins	Ban of Unstable Refuse Bins		Special V delication	Standard for Devices to Permit the Opening of Household Refrigerator Doors
		Ban of Lead-Containing Paint and Certain Consumer Products Bearing Lead-		Refrigerator doors	from the Inside
16 CFR 1303	Paints and Similar Surface Coatings	Containing Paint - General Use. Applies to consumer paints and paint used on	P.L. 112-266	Drywall	Limitations on sulfur content in ASTM C1396-14a, "Standard Specification for
		certain movable non-metal furniture products			Gypsum Board."
16 CFR 1304	Consumer Patching Compounds	Ban of Consumer Patching Compounds Containing Respirable Free-Form Asbestos	16 CFR 1120.3 (a)	Hand-supported hair dryers	No GCC required
		Ban of Artificial Emberizing Materials (Ash and Embers) Containing Respirable	16 CFR 1120.3 (c)	Seasonal and Decorative Lighting Products	No GCC required
16 CFR 1305	Artificial Emberizing Materials	Free-Form Asbestos	16 CFR 1120.3 (d)	Extension Cords	No GCC required
16 CFR 1306	Lawn Darts	Ban of Hazardous Lawn Darts		Federal Hazardous Substances Act	Labeling requirements. No GCC required to prove labeling compliance.
16 CFR 1420	ATVs	Requirements for All Terrain Vehicles (ATVs)	16 CFR 1500		

Durable Children's Product Requirements

15 U.S.C. 6 2056

All durable infant or toddler products, regardless of type, must currently meet certain children's product safety requirements, such as those for lead in surface coatings, lead content, phthalate content (in certain circumstances), mandatory testing at a CPSC-accepted laboratory, a Children's Product Certificate (CPC), registration cards (16 CFR 1130), and tracking labels and other markings.

Product Category	CFR Citation	Incorporated Standard	CPSC Business Guidance Page
Infant Bath Seats	16 CFR 1215	ASTM F1967-13	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Infant-Bath-Seats/
Infant Walkers	16 CFR 1216	ASTM F977-12	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Infant-Walkers/
Toddler Beds	16 CFR 1217	ASTM F1821-16	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Toddler-Beds/
Bassinets and Cradles	16 CFR 1218	ASTM F2194-13	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Bassinets-and-Cradles/
Cribs (Full-Size)	16 CFR 1219	ASTM F1169-13	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Full-Size-Baby-Cribs/
Cribs (Non-Full-Size)	16 CFR 1220	ASTM F406-17	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Non-Full-Size-Baby-Cribs/
Play Yards	16 CFR 1221	ASTM F406-13	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Play-Yards/
Bedside Sleepers	16 CFR 1222	ASTM F2906-13	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Bedside-Sleepers/
Infant Swings	16 CFR 1223	ASTM F2088-13	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Infant-Swings/
Portable Bed Rails	16 CFR 1224	ASTM F2085-12	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Portable-Bed-Rails/
Hand-Held Infant Carriers	16 CFR 1225	ASTM F2050-13a	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Hand-Held-infant-Carriers/
Soft Infant and Toddler Carriers	16 CFR 1226	ASTM F2236-14	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Soft-Infant-and-Toddler-Carriers/

Carriages and Strollers	16 CFR 1227	ASTM F833-15	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Carriages-and-Strollers/
Sling Carriers	16 CFR 1228	ASTM F2907-15	https://www.cpsc.gov/content/sling-carriers-business-guidance-small-entity-compliance-guide
Infant Bouncer Seats	16 CFR 1229	ASTM F2167-17	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Infant-Bouncer-Seats-Business-Guidance
Frame Child Carriers	16 CFR 1230	ASTM F2549-14a	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Frame-Child-Carriers/
High Chairs	16 CFR 1231	ASTM F404-18	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/High-Chairs-Business-Guidance-and-Small-Entity-Compliance-Guide
Children's Folding Chairs and Stools	16 CFR 1232	ASTM F2613-17a	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Childrens-Folding-Chairs-and-Stoois-Business-Guidance
Portable Hook-on Chairs	16 CFR 1233	ASTM F1235-18	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Portable-Hook-on-Chairs-Business-Guidance-Small-Entity-Compliance- Guide
Infant Bath Tubs	16 CFR 1234	ASTM F2670-18	https://www.cpsc.gov/content/infant-bath-tubs-business-guidance
Changing Products	16 CFR 1235	ASTM F2388-18	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Baby-Changing-Products-Business-Guidance-and-Small-Entity- Compliance-Guide
Infant Inclined Sleep Products	16 CFR 1236	ASTM F3118-17	https://www.federairegister.gov/documents/2017/04/07/2017-06875/safety- standard-for-infant-inclined-sleep-products
Booster Seats	16 CFR 1237	ASTM F2640-18	https://www.cpsc.gov/BusinessManufacturing/Business-Education/Business- Guidance/Booster-Seats-Business-Guidance-and-Small-Entity-Compliance-Guide
Stationary Activity Centers	16 CFR 1238 (proposed)	ASTM F2012-18 (proposed)	https://www.federalregister.gov/documents/2018/06/19/2018-13024/safety- standard-for-stationary-activity-centers
Expansion Gates and Expandable Enclosures	N/A	N/A	Awaiting Notice of Proposed Rulemaking (NPR)

4. 目的港常见额外费用 Common Additional Charges at the Port of Destination

Demurrage: for the storage charges inside of the terminal or port

Detention: for charges not returning empty container within free time

Pre-pull: 预提

Chassis spilt: 板架分离费

Storage: 堆场费

Overweight: 超重费 一般指超重底盘的 租赁费+使用费 Overweight fee generally refers to the rental fee + usage fee of the overweight chassis

5. 限重 Weight Limit

美国公路限重 U.S. highway weight limit

20GP 35000LBS 16330KGS 40GP&40HQ 46000LBS 19505KGS

船东限重 Shipowner's weight limit

BASE PORT: 一般都可以接到箱门重量 但是船东也会有签提单的重量限制,一般像EMC 提单最高不能超过26吨。Generally, the weight of the box door can be received, but the shipowner will also have a weight limit for signing the bill of lading, generally like EMC

The maximum bill of lading cannot exceed 26 tons.

IPI 分为 ON DOCK 和 OFF DOCK 两种情况 IPI is divided into two cases: ON DOCK and OFF DOCK ON DOCK: 卸船跟上火车在同一区域,下来船 就可以直接上火车 这种一般限重会高一点,HQ 可以接到23 或者以上 ON DOCK: The unloading ship is in the same area as the train, and you can directly board the train when you get off the ship. This general weight limit will be higher, and HQ can receive 23 or more.

OFF DOCK: 卸船后要短驳到火车 会需要涉及到短驳过程中公路的现在 这种情况限重就要按照公路的限重走

附上COSCO 船公司限重表

OFF DOCK: After unloading the ship, you need to transfer to the train. It will need to involve the current situation of the road during the short transfer process. In this case, the weight limit should follow the road weight limit. Attached is COSCO Shipping Company Weight Limit Table

1. For USA Destinations(COSCO)

DESTINATION	ROUTE	SIZE	Max Net Weight	Overweight Surcharge	Remark
	To Inland CY via	20GP	21,500KGS	OWR USD200/20GP (17,252KGS≤Net Weight≤19,976KGS) OWP USD100/UNIT (19,976KGS≤Net Weight<22,000KGS)	
	NYC/SAV/ORF/MIA /JAX/CHS	40GP/HQ/45GP	25,000KGS	OWX USD200/UNIT (22,000KGS≤Net Weight<24,000KGS) OWY USD300/UNIT (24,000KGS≤Net Weight<25,000KGS)	
		20GP	21,700KGS	OWR USD200/20GP (17,252KGS≤Net Weight≤19,976KGS) OWP USD100/UNIT (19,976KGS≤Net Weight<22,000KGS)	Any container exceeding 21 700KCS DED 20CD or
RIPI via TPE	To Inland CY via MOB	40GP/HQ/45GP	27,000KGS	OWP USD100/UNIT (19,976KGS \leq Net Weight $<$ 22,000KGS) OWX USD200/UNIT (22,000KGS \leq Net Weight $<$ 24,000KGS) OWY USD300/UNIT (24,000KGS \leq Net Weight $<$ 26,000KGS) OWZ USD400/UNIT (26,000KGS \leq Net Weight $<$ 27,000KGS)	Any container exceeding 21,700KGS PER 20GP or 27000KGS PER 40GP/HQ/45GP will be subject to the additional weight surcharge of CN/CP railway
	2	20GP	19,976KGS	OWR USD200/20GP(17,252KGS≤Net Weight≤19,976KGS)	
	To Inland CY via HOU	O Inland CY via HOU 40GP/HQ/45GP 19,976KGS -	<u>- </u>		
	To Inland CY via	20GP	21,700KGS		Any container exceeding 21,700KGS PER 20GP or
	HAL	40GP/HQ/45GP	27,000KGS		27000KGS PER 40GP/HQ/45GP will be subject to the additional weight surcharge of CN/CP railway
To Door		20GP	19,976KGS	OWR USD200/20GP (17,252KGS≤Net Weight≤19,976KGS,subject to US railway used.) OWC USD200/UNIT (17,252KGS≤Net Weight≤19,976KGS)	
		40GP/HQ/45GP	19,976KGS		

1. For USA Destinations (COSCO)

DESTINATION	ROUTE	SIZE	Max Net Weight	Overweight Surcharge	Remark
To Base Port		20GP		OWP USD100/UNIT (19,976KGS≤Net Weight<22,000KGS) OWX USD200/UNIT (22,000KGS≤Net Weight<24,000KGS)	
СҮ		40GP/HQ/45GP	Max Payload per container	OWY USD300/UNIT (24,000KGS≤Net Weight<26,000KGS) OWZ USD400/UNIT (26,000KGS≤Net Weight)	
	To Inland CY via	20GP	19,976KGS	OWR USD200/20GP (17,252KGS≤Net Weight≤19,976KGS)	
	USWC	40GP/HQ/45GP	19,976KGS	<u>-</u>	
		20GP	21,500KGS	OMB 1100000 (0000 (17.00000 > N.++ M-1-1-+ < 10.070000)	
	To inland CY via Tacoma	40GP/HQ/45GP	25,000KGS	DWR USD200/20GP (17,252KGS≤Net Weight≤19,976KGS) DWP USD100/UNIT (19,976KGS≤Net Weight<22,000KGS) DWX USD200/UNIT (22,000KGS≤Net Weight<24,000KGS) DWY USD300/UNIT (24,000KGS≤Net Weight<25,000KGS)	
- C	To Inland CY via PRR	20GP	21,700KGS		Any container exceeding 21,700KGS PER 20GP or
IPI via TPW		40GP/HQ/45GP	27,000KGS		27000KGS PER 40GP/HQ/45GP will be subject to the additional weight surcharge of CN/CP railway Prince Rupert DPW
	To Inland CY via VAN(OPNW,EPNW, MPNW)	20GP	21,700KGS	OWP USD100/UNIT (19,976KGS≤Net Weight<22,000KGS) OWX USD200/UNIT (22,000KGS≤Net Weight<24,000KGS) OWY USD300/UNIT (24,000KGS≤Net Weight<26,000KGS) OWZ USD400/UNIT (26,000KGS≤Net Weight<27,000KGS) Vancouver Centerm D 20' Rail Imports – VGN	20' Rail Imports – VGM (Cargo + tare) Weight Limit - < 23,995 kgs Heavy Rail Container Surcharge at USD/CAD 169.24
		40GP/HQ/45GP	27,000KGS		per 20' when the VGM weight is >=23,995 kgs. Vancouver Centerm DPW 20' Rail Imports – VGM (Cargo + tare) Weight Limit - < 23,995 kgs
	To Inland CY via VAN (Subject to CPNW)	20GP	21,700KGS		Heavy Rail Container Surcharge at USD/CAD 169.39 per 20' when the VGM weight is >=23,995 kgs.
		40GP/HQ/45GP	27,000KGS		

2. For Canada Destinations (COSCO)

	CANADA DESTINATION	SIZE	Max Net Weight	Overweight Surcharge	Remark
	To Base Port CY	20GP	Max Payload per container	-	
CAN		40GP/HQ/45GP	Max Payload per container	-	
	To Inland CY	20GP	21,700KGS	-	Any container exceeding 21,700KGS PER 20GP or 27000KGS PER 40GP/HQ/45GP will be subject to
		40GP/HQ/45GP	27,000KGS		
	To Door(Exclude the Province of Albert)	20GP	21,500KGS		
		40GP/HQ/45GP	27,000KGS		the additional weight surcharge of CN/CP railway
	To Door(TO the Province of Albert)	20GP	21,500KGS)) - (
		40GP/HQ/45GP	23,000KGS	/# 1977 - All the Problem	11-06-60

^{**} Any containers exceeding the Max Net Weight limitation or the Max Payload(whichever come less) will not be acceptable

(二) FBA 篇

FBA兴程物流服务 四种模式 Four modes of FBA head-way logistics service FBA海运 FBA shipping

FBA空运 FBA air freight

海外仓 调拨 Overseas warehouse transfer

直发快递 direct express

(二) FBA 篇

1. 直发快递	DHL FEDEX UPS等,时效快,适合紧急补货,而且快递都是免预约入库的
direct	DHL FEDEX UPS, etc., with short timeliness, suitable for emergency replenishment, and express delivery is free of
express	appointment storage
2. FBA海运 FBA shipping	海运+当地清关+后段卡车派送,时效较快递略长,适合大批量的产品入库,同时需要预约入仓。 Shipping + local customs clearance + truck delivery in the latter part of the time is slightly longer than express delivery. It is suitable for warehousing of large quantities of products. At the same time, you need to make an appointment for warehousing.
3. FBA空运	空运+清关+后段快递派送,空运时速能得到保障,当然产生的费用相对的也高。
FBA	Air freight + customs clearance + post-delivery express, the speed of air freight can be guaranteed, of course,
air freight	the cost is relatively high.
	把大批量的货物提前出口运送至目的地海外仓,既可以做亚马逊FBA,也可以在其他平台售卖从海外仓发货,一般海
	外仓调拨去亚马逊的选择很多,可以选择快递免预约入库,也可以选择卡车运送,方式灵活多变,可以多频次补货,
	补货时间相对也短,而且到了旺季以及亚马逊的活动季,海外仓的调拨显得尤为重要。
4. 海外仓调拨	Export and deliver large quantities of goods to the destination overseas warehouse in advance. You can do
Overseas warehouse	Amazon FBA or sell on other platforms and ship from overseas warehouses. Generally, there are many options
transfer	for overseas warehouses to be transferred to Amazon. You can choose express delivery without reservation. You
	can also choose truck delivery, the method is flexible and changeable, you can replenish the goods frequently,
	and the replenishment time is relatively short, and in the peak season and Amazon's event season, the allocation
	of overseas warehouses is particularly important.

FBA海运卡车派送两种模式 Two modes of FBA ocean truck delivery

1.Palletized

将集装箱从港口运送至就近的海外仓卸货打托后,再预约送 货至亚马逊,对于一个集装箱内亚马逊仓库的分布点多,进 中转仓打托后续安排送仓是必然的选择,同时打托送仓从风 险上来说也会比较安全,不易出现拒收情况,还箱时间可以 控制,避免产生滞箱费以及过多的chassis费用。这种方式也 是目前最普遍的送货方式。After transporting the container from the port to the nearest overseas warehouse for unloading and consignment, then make an appointment for delivery to Amazon. Since there are many distribution points in Amazon's warehouses in a container, it is an inevitable choice to enter the transit warehouse for consignment and subsequent arrangements for delivery to the warehouse. Warehouse delivery will also be safer in terms of risk, it is not easy to reject the case, and the return time can be controlled to avoid demurrage fees and excessive chassis fees. This method is also the most common delivery method at present.

50/1 2.Flo

2.Floor loaded

集装箱直接从港口送至亚马逊仓,前提必须保证所有的货都是唯一的 仓库,不含有多个仓库的情况,在时间上需要衔接的很好,从港口提 柜到预约送仓,每个环节的时间把控很重要,其中一个环节控制不好 就会产生大量的费用,这种送货方式往往需要更长的时间来卸货,也 会导致上架入库的时间更慢,所以对于客户而言这并不是优先选择的 方式,而且直送的拒收风险相较于中转送仓会更高。对于产品的本身 以及装载货物的要求也显得尤为苛刻Containers are sent directly from the port to the Amazon warehouse. The premise must ensure that all the goods are the only warehouse, and there are no multiple warehouses. The time needs to be well connected. From the port pick-up to the reservation delivery, every link It is very important to control the time of delivery. If one of the links is not well controlled, a lot of costs will be incurred. This delivery method often takes longer to unload the goods, and also leads to a slower time for putting on the shelves and entering the warehouse. Therefore, for customers This is not the preferred method, and the risk of rejection is higher for direct delivery than for transit delivery. The requirements for the product itself and the loading of goods are also particularly demanding.

LGB4: Appointment Confirmed with ID #59692876, Appointment Time: Wed 09/11/2019 18:00 PDT

发件人: Carrier Central<do-not-reply@amazon.com>

时 间:2019年8月26日(星期一)下午2:04

收件人:appt<appt@cnuul.com>

Hello,

An appointment for UULN with ISA Id 59692876 has been confirmed at Amazon.com's LGB4 Fulfillment Center for Wed 09/11/2019 18:00 PDT. Please make sure you have the appointment ID ready when you show up for the appointment.



Please ensure the driver has a printed copy or a soft copy of this email notification which includes the barcode.

Attention Driver:

If you experience delays in delivering freight to Amazon, then please call NOC Hotline 1-866-203-8372 and notify us so that we can better help secure your appointment. If you are delivering freight to a Prime Now or AmazonFresh Site, then please email cst-vmi@amazon.com.

Thanks!

Appointment Summary:

Fulfillment Center: LGB4 Inbound Shipment Appointment (ISA) ID: 59692876 Appointment Reference Code: LGB4-BI-TH20E

Arrival Date: Wed 09/11/2019 18:00 PDT

Door: 150

Trailer Number: EGHU9536851

Shipments:

ISD: 2046184876 PRO: FBA15HF5QRM8 Pallet count: 0 Carton count: 1055 POs: [3IQN7CJQ] BOLs: [3IQN7CJQ]

Have a great day!


Amazon.com Transportation Department



- 1. FBA预约所需的信息 shpt id、ref id、送仓地址以及箱数,如果货物打过托盘,则需提供托盘数量以及托盘标签------这些信息都是需要客户提供的,缺一不可。The information required for FBA reservation is shpt id, ref id, delivery address and number of boxes. If the goods have been palletized, the number of pallets and pallet labels must be provided. These information need to be provided by the customer, if one is missing Not possible.
- 2. 选择需要的送货时间,提交申请后,亚马逊通常会在24小时内以邮件的形式回复并给予最终的送货时间。送货必须按照规定的时间到达仓库,否则也会出现被拒收的情况。

Select the desired delivery time, and after submitting the application, Amazon will usually reply by email within 24 hours and give the final delivery time. The delivery must arrive at the warehouse according to the stipulated time, otherwise it will also be rejected.


托盘的尺寸要求 Pallet Size Requirements



- 外箱的任意一边露出托盘边缘长度均不得超过1inch,同时请勿使用捆绑带、包装袋、弹力带等其他捆绑绳捆绑外箱。
 The length of any side of the outer box exposed to the edge of the pallet should not exceed 1 inch. At the same time, please do not use binding straps, packaging bags, elastic straps and other binding ropes to bind the outer box.
- 打托必须使用透明塑料膜包裹所有托盘。All trays must be wrapped in clear plastic wrap.
- 拉伸膜必须将产品完全固定在托盘上,对于oversize的货物选择适合的托盘进行打托
- The stretch film must completely fix the product on the pallet, and choose a suitable pallet for oversize goods.

标签 Label

每个托盘的四面需贴上亚马逊的pallet label, 外箱上则需贴上亚马逊的package label。 The four sides of each pallet should be labeled with Amazon's pallet label, and the outer box should be labeled with Amazon's package label.





不得超出50lbs within 50lbs

箱子不得超出50lbs的 标准重量限值,除非 它们包含单件重量超 出 50lbs 的大件商品, Boxes must not exceed the standard weight limit of 50lbs, unless they contain a single oversized item that exceeds 50lbs,



大于50lbs箱子 over 50lbs

大于50lbs的箱子, 需要在外箱上贴上 team lift 的标签 字样 Boxes larger than 50lbs need to be labeled "team lift" on the outer box



大于100lbs箱子 over 100lbs

大于100lbs的箱子,则需要在外箱上贴上 mech lift的标签字样For boxes larger than 100lbs, the label of mech lift needs to be affixed on the outer box

运输过程 Transport Process



运输过程中集装箱堆叠和墙壁之间至少保持3inch的距离,顶部要留有6inch的空间,这是为了叉车能安全的卸载托盘, 同时最后一排箱子与集装箱门之间至少要留出8inch的间隙,以允许dock调整板进入。

During transportation, keep a distance of at least 3 inches between the container stack and the wall, and leave a space of 6 inches at the top. This is for the forklift to unload the pallets safely.

At the same time, there must be at least 8 inches of clearance between the last row of boxes and the container door to allow the dock adjustment plate to enter.

BOL/POD

BOL顾名思义提货单,卡车公司从仓库装完货送往FBA仓的 时候,都会带着这份BOL前往FBA仓,对于FBA的货物,在 送达亚马逊仓后,亚马逊仓库人员都会盖上亚马逊的章以 及签字,这份签收单称之为POD,对于FBA物流段而言, 有了这份POD也就意味着这票货告一段落,就此完结了。 BOL, as the name suggests, is a bill of lading. When the truck company loads the goods from the warehouse and sends them to the FBA warehouse, they will take the BOL to the FBA warehouse. For the FBA goods, after the goods are delivered to the Amazon warehouse, the Amazon warehouse staff will stamp the Amazon seal. As well as the signature, this receipt is called POD. For the FBA logistics segment, having this POD means that the shipment has come to an end, and it is over.

